



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road


Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## BANDSAWS



HORIZONTAL BANDSAWS

MODEL	BS712N	CS280	G4235	G4240/60
MAX CUTTING DIA	178mm	280mm	300mm	400mm
MAX CUTTING	178x305mm	300x220mm	350x350mm	500x400mm
CUTTIN SPEED	22-64M/MIN	20-90M/MIN	25-80M/MIN	30-80M/MIN
CLAMPING	MANUAL	HYDRAULIC	HYDRAULIC	HYDRAULIC
BLADE TENSION	MANUAL	MANUAL	MANUAL	MANUAL
MAIN DRIVE	V-BELT	WORM WHEEL	WORM WHEEL	GEAR
MAIN MOTOR	1HP	1.8KW	3KW	3KW
WEIGHT	170KG'S	1150 KG'S	1800KG'S	2200 KG'S
DIMENSIONS	1250x450x1150mm	1510x830x1150mm	1880x1050x1550mm	2100x1050x1620mm

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management, Dust Suppression & Water Evaporation Technology, Computer Training College



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## GUILLOTINE SPECS

Estun e21s NC controller



MODEL	QC12Y-4*2500	QC12Y-4*3200	QC12Y-6*3200
CUTTING THICKNESS	4mm	4mm	6mm
CUTTING LENGTH	2500mm	3200mm	3200mm
STROKES PER MINUTE	>22	>18	>12
BACKSTOP RANGE	20-450mm	20-450mm	20-595mm
THROAT DEPTH	85mm	85mm	145mm



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za)/ [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## IRON WORKER



### UNIVERSAL IRON WORKERS

MODEL	QA32-8B	IW-60	IW-90
WORKING PRESSURE	36 TON	60 TON 1	90 TON
FLAT BAR	100x12mm	50x16mm	330x20mm
SQUARE BAR	20x20mm	28x28mm	50x50mm
ROUND BAR	20mm	30mm	50mm
ANGLE IRON	75x75x6	120x120x12mm	160x160x14mm
PUNCHING	22x8mm	26x16mm	30x20/38x15
DEPTH OF THROAT	80mm	300mm	350mm
LENGTH OF STROKE	50mm	80mm	80mm
STROKE P/MIN	32 P/M	9-27 P/M	9-36 P/M
MOTOR POWER	2.2kw	5 kw	5.5kw
WEIGHT	500KG'S	1800KG'S	2200KG'S
DIMENSIONS	95x500x1150mm	2080x1120x2060mm	1860x790x1900mm

**Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management,  
Dust Suppression & Water Evaporation Technology, Computer Training College**



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## LATHE SPECS



MODEL	T400/1000	CD6250C/1500	CD6260C/2000	GH6266/3000
DISTANCE BETWEEN CENTRES	1000mm	1500mm	2000mm	3000mm
MAX SWING OVER BED	400mm	500mm	600mm	660mm
MAX SWING OVER SADDLE	264mm	330mm	360mm	420mm
MAX SWING IN THE GAP	550mm	660mm	730mm	870mm
EFFECTIVE LENGTH OF GAP	235mm	260mm	260mm	260mm
SPINDLE BORE	52mm	52mm	80mm	105mm
RANGE OF SPINDLE SPEED	44 – 2000 RPM	40-1600RPM	24-1600RPM	24-1600RPM
MAX TRAVEL OVER CROSS SLIDE	180mm	222mm	305mm	305mm
METRIC THREADS	0.8 – 14 mm	0.25-14mm	1 - 14mm	1 - 14 mm
MAX TRAVEL OVER TOP SLIDE	75mm	95mm	130mm	130mm
TOOL BIT HOLDER	20x20 mm	20x20mm	25x25mm	25x25mm
TAILSTOCK TAPER	M.T.4	M.T.4	MT5	MT5
TAIL STOCK TRAVEL	120mm	120mm	120mm	120mm
MOTOR POWER	1.5/2.4 KW	5.5KW	8KW	8KW
NETT WEIGHT	900 KG'S	1850 KG'S	2130 KG'S	3000 KG'S
DIMENSIONS	1920x740x1200mm	2970x1150x1590mm	4330x1400x2000mm	5310x1400x2000mm

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management, Dust Suppression & Water Evaporation Technology, Computer Training College





# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## MILLING MACHINE X6323V



Table size	230 x 1070 mm	Spindle travel	27 mm
Longitudinal travel	650mm	Spindle speed	16 steps 70-4200rpm
Cross travel	305 mm	Auto quill feed	three steps
Vertical travel	400 mm	Spindle motor	S2.25kw/3hp
T – slot no & Size	3 x 16 mm	Head-swivel	90 ( degree )
Ram travel	312 mm	Head tilting	45 ( degree )
Distance from spindle to table	15-415 mm	Dimensions	1400x1476x2030 mm
Spindle taper	ISO-40	Nett weight	1160 kg's

Standard accessories | 3 axis digital read out, 2 axis power feed  
Drip tray , spindle guard | Work lamp , coolant pump | Machine vice , collet set , clamping kit



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## ZX6350A MILLING MACHINE



MODEL	ZX6350A
SPINDLE TAPER	ISO40
DIAMETER OF QUILL :	100mm
DISTANCE FROM SPINDLE TO TABLE	90-370mm
DISTANCE FROM HORIZONTAL SPINDLE TO TABLE	0-280mm
DISTANCE FROM SPINDLE TO COLUMN	200-700mm
SPINDLE SPEEDS	115-1750 / 40-1300
SPINDLE TRAVEL	120mm
TABLE SIZE	1250 x 320 mm
HORSE POWER FOR MAIN MOTOR	2.2 hp
DIMENSIONS	1780x1500x2100 mm
WEIGHT	1450kg's
VOLTAGE	380V



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## BOX AND PAN FOLDERS



MODEL	WH06-1.5 x 1300	WH06-2.5x2550
MAX THICKNESS	1.5mm	2.5mm
MAX WIDTH	1250mm	2550mm
BENDING ANGLE	0 - 135 degrees	0 - 135 degrees
DIMENSIONS	1620 x 690 x 450 mm	3070 x 940 x 620 mm
WEIGHT	260 kg's	50 kg's



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za)/ [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## MANDREL PIPE BENDERS



MODEL :	DW38NC	DW50NC	DW75NC	DW89NC	DW114NC
CONTROL TYPE	Microcomputer	Microcomputer	Microcomputer	Microcomputer	Microcomputer
BENDING CAPACITY RND	38 x 2 mm	50 x 3 mm	76 x 4 mm	89 x 8 mm	110 x 8 mm
BENDING CAPACITY SQ	28 x 28 x 2mm	38 x 38 x 3 mm	53 x 53 x 4 mm	63 X 63 X 8mm	76 X 76 X 8mm
BENDING CAPACITY SLD	22mm	30mm	38mm	45mm	60mm
MANDREL LENGTH	1600 mm	2200mm	2800 mm	3500 mm	3700mm
MAX BENDING DEGREE	190	190	190	190 mm	190mm
MAX BENDING RADIUS	260mm	360mm	400mm	450 mm	500mm
PROGRAMABLE BENDS	16 x 16	16 x 16	16 x 16	16 x 16	16 x 16
MOTOR POWER	4 kw	5.5 kw	7.5 kw	11 kw	15 kw
MAX PRESSURE	12 Mpa	12 Mpa	2 Mpa	14 Mpa	14 Mpa
WEIGHT	1150 kg's	1350 kg's	2000 kg's	3500 kg's	4500 kg's
DIMENSIONS	2600 x 600 x 1000	3000 x 700 x 1000	4000 x 1100 x 975	4320 x 1300 x 1200	5500 x 1600 x 1200

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management,  
Dust Suppression & Water Evaporation Technology, Computer Training College





# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## DRILLING MACHINES



**MTQ5125**



**Z5045**



**Z5045C**



**Z5040T**

MODEL	MTQ-5125	Z5025	Z5030	Z5045	Z5045C	Z5040T
DRILLING CAPACITY	25mm	25mm	30mm	45mm	45mm	40mm
MORSE TAPER	MT-3	MT-3	MT-3	MT-4	MT-4	MT-4
SPINDLE TRAVEL	85mm	130mm	130 mm	130mm	130mm	180 mm
SPINDLE SPEED	280 - 2380 RPM	80-1200 RPM	80-1250 RPM	80-1250 RPM	80-1250 RPM	50 - 1450 RPM
COLUMN DIA	80 mm	100mm	130 mm	130 mm	130 mm	240 mm
TABLE SIZE	290x290 mm		380 x 300 mm	380 x 300 mm	730 x 210 mm	560 x 560 mm
MOTOR POWER	900 watts	1.1 KW	1.5 KW	1.5 KW	1.5 KW	0.75/1.5 KW
WEIGHT	80 KG'S	250 KG'S	430 KG'S	430 KG'S	460 KG'S	465 KG'S
DIMENSIONS	1140 x 500 x 300mm	1000x630 x 830 mm	1850 x 750 x 1000mm	1850 x 750 x 1000mm	1850 x 950 x 1000 mm	2270 x 690 x 1100 mm

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management, Dust Suppression & Water Evaporation Technology, Computer Training College



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za)/ [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## MANUAL & MECHANICAL GUILLOTINES



MODEL	FS-1636	FS1652	Q11-3*1300
CUTTING CAPACITY	1.6mm	1.6mm	3.0mm
CUTTING LENGTH	900mm	1270mm	1300mm
BACK STOP LENGTH	630mm	630 mm	350mm
FRONT STOP LENGTH	330mm	330mm	920mm
MOTOR POWER	MANUAL	MANUAL	2.2KW
DIMESIONS	1162 x 533 x 1000 mm	1550 x 533 x 1000 mm	1980 x 1505 x 1245 mm
WEIGHT	370 kg's	460 kg's	1380 kg's

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management, Dust Suppression & Water Evaporation Technology, Computer Training College



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## LOCK FORMERS



MODEL	LC-10 R	LC-12 R	LC-12 D	LC-15 D	R 10	R 15
SPEED	6 m/min	6 m/min	6 m/min	7.6 m/min	5 m/min	7 m/min
CAPACITY	0.3 - 1.0 mm	0.5 - 1.2mm	0.5 - 1.2 mm	0.7 - 1.7 mm	0.5 - 1.0 mm	0.7 - 1.5 mm
POWER	1.5 kw	1.5 kw	1.5 kw	1.5 kw	1.1 kw	1.1 kw
TABLE HEIGHT	760 mm	760 mm	760 mm	900 mm	800 mm	800mm
SHAPE D AXES	6	7	7	7	1	1
ROLLERS	2	2	3	3	1	1
WEIGHT	195 kg's	235 kg's	230 kg's	290 kg's	135 kg's	155 kg's
DIMENSIONS	900 x 530 x 1020	1040 x 570 x 1050	1045 x 570 x 880	1140 x 600 x 1000	670 x 600 x 900	670 x 600 x 900

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management, Dust Suppression & Water Evaporation Technology, Computer Training College



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za)/ [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## RADIAL ARM DRILLING MACHINES



MODEL	ZQ3032*10	ZQ3040*13	ZQ3050*16
MAX DRILLING CAPACITY	32mm	40mm	50mm
DISTANCE FROM COLUMN TO SPINDLE	360-1000mm	360-1300mm	350-1600mm
DISTANCE FROM SPINDLE TO TABLE	260-1000mm	260-1050mm	250-1150mm
SPINDLE TAPER	MT-4	MT-4	MT-5
SPINDLE SPEEDS	108-1000 RPM1	75-1200 RPM	25-2000 RPM
VERTICAL TRAVERSE SPEED	.2 M/MIN	1.3 M/MIN	1.1 M/MIN
SWIVEL OF ARM	360 DEG	360 DEG	360 DEG
MOTOR POWER	1.5/2.2KW	2.2 KW	4.0 KW
ELEVATING MOTOR POWER	0.55 KW	1.5 KW	2.2 KW
N.W KG	1000 KG'S1	1900 KG'S	2900 KG'S
DIMENSIONS	450x705x2200 KG'S	1800x810x2200mm	2750x1140x2550

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management, Dust Suppression & Water Evaporation Technology, Computer Training College





# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

PLASMA CUTTER

CNC PLASMA CUTTER HCZ SERIES

MODEL	HCZ-3000*1500	HCZ-6000*2200
CUTTING AREA	3000*1500	6000*2200
MAX CUTTING THICKNESS	25mm	25mm
MAX PIERCE THICKNESS	20mm	20mm
SPEED	0-6000 MM/ MIN	0-6000 MM / MIN
CUTTING METHOD	PLASMA/FLAME	PLASMA/FLAME
FLAME CUTTING ABILITY	6-45mm	6-45mm
FLAME CUTTING SPEED	50-500 MM/MIN	50-500 MM /MIN
TORCH RANGE UP/DOWN	120mm +-	120mm +-
PLASMA PIERCE ABILITY	16/20mm	16/20mm
MACHINE PRECISION	0.5mm / 6M	0.5mm / 6M
MOVING SPEED TOLERENCE	0.50%	0.50%
CONTROL CABLE	LANDING CONTROL	LANDING CONTROL
INPUT POWER	220/380V	220/380V
RATED CAPACITY	600 WATTS	600 WATTS
PLASMA AIR PRESSURE	0.4-0.6MPA	0.4-0.6MPA
PLASMA SOURCE	HP-100/160 amp	HP - 100/160amp
PLASMA COOLING	AIR / WATER COOLED	AIR / WATER COOLED



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za)/ [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## MANUAL & ELECTRIC SLIP ROLLS



MODEL	W01-2.0x1250	ESR-4.5 x 1300
MAX THICKNESS	2.0mm	4.5 mm
MAX WIDTH	1250mm	1300mm
ROLL DIA	60 mm	120 mm
ELECTRIC MOTOR	Manual	2.2 kw
DIMENSIONS	1800 x 620 x 1180	2000 x 760 x 1270
WEIGHT	200 kg's	750 kg's

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management, Dust Suppression & Water Evaporation Technology, Computer Training College



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za)/ [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## PLATE ROLLS



MODEL	W11-6x2500	W11-6x3200	W11-8x3200	W11-12x3200	W11-16x3200	W11-20x3200
ROLLING CAPACITY	6mm	6mm	8mm	12mm	16mm	20mm
ROLLING LENGTH	2500mm	3200mm	3200mm	3200mm	3200mm	3200mm
YIELD LIMIT	245 MPA	245MPA	245 MPA	245 MPA	245 MPA	245 MPA
MIN DIA/MAX THICKNESS	580mm	600mm	700mm	800mm	1000mm	1100mm
UPPER ROLLER DIA	185mm	240mm	260mm	280mm	340mm	380mm
LOWER ROLLER DIA	170mm	180mm	200mm	250mm	280mm	300mm
MAIN MOTOR	5.5KW	7.5 KW	11 KW	15 KW	18.5 KW	20 KW
LIFTING MOTOR	2.2KW	5.5 KW	5.5 KW	7.5 KW	11 KW	11 KW
WEIGHT	5800KG'S	6400KG'S	8500 KG'S	10 000 KG'S	12 500 KG'S	14 500 KG'S
DIMENSIONS	3600x1200 x1500mm	4200x1200 x1500mm	4800x1600 x1900mm	4800x1600 x1900 mm	5100x1600 x1900mm	5200x1600 x1900mm

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management,  
Dust Suppression & Water Evaporation Technology, Computer Training College



# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## PRESS BRAKE SPECS

### Ball Screws



MODEL :	WC67Y-63/2500	WC67Y-63/3200	WC67Y-125/3200	WC67Y-160/3200	WC67Y-250/3200	WC67Y-400/4000
NOMINAL PRESSURE:	630KN	630KN	1250KN	1600KN	2500KN	4000KN
LENGTH OF WORK TABLE:	2500mm	3200mm	3200mm	3200mm	3200mm	4000mm
DISTANCE BETWEEN COLUMNS:	2050mm	2600mm	2600mm	2600mm	2600mm	3200mm
DEPTH OF THROAT	250mm	250mm	320mm	320mm	320mm	400mm
OPENING HEIGHT:	350mm	350mm	380mm	420mm	520mm	615mm
SLIDE STROKE :	120mm	120mm	120mm	155mm	250mm	320mm
MOTOR POWER	5.5 KW	5.5 KW	7.5 KW	11 KW	18.5 KW	30 KW
WEIGHT	4200 KG'S	5200 KG'S	7000 KG'S	9200 KG'S	11900 KG'S	25000 KG'S
DIMENSIONS:	2900x1500 x2450mm	3600x1500 x2450mm	3600x1500 x2450	3700x1570 x2550mm	3300x1800 x2830mm	4800x2250 x3400mm

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management,  
Dust Suppression & Water Evaporation Technology, Computer Training College





# ECOLOGY SA (PTY) LTD

REG. NO: 2017/096163/07

VAT. NO: 4160280246

73A Northern Road

Nigel, 1491

Tel/fax: 011 739 5871, Cell: 083 992 7682

E-mail: [info@ecologysa.co.za](mailto:info@ecologysa.co.za) / [lencir@ecologysa.co.za](mailto:lencir@ecologysa.co.za)

Website: [www.ecologysa.co.za](http://www.ecologysa.co.za)

## SURFACE GRINDERS



MODEL	MJ-7115	MY-250
TABLE SIZE	304 x 152 mm	540 x 250 mm
GRINDING WHEEL	180 x 32 x 13 mm	200 x 20 x 31.75
GRINDING HEIGHT	210 mm	450 mm
LONGITUDINAL STROKE	340 mm	560 mm
LATERAL STROKE	170 mm	260 mm
HYDRAULIC MOTOR	N/A	1.5kw
MAIN MOTOR	0.55 kw	1.5 kw
WEIGHT	210 kg's	900 kg's 1680 x 1220 x 1720 mm
DIMENSIONS	930 x 780 x 730 mm	

Specialist in Power lines Manufacturing/Construction, Quality, Safety and Environmental Management, Dust Suppression & Water Evaporation Technology, Computer Training College